SKULL MEDICAL PVT. LTD.

Manufacturer I Wholesaler I Importer I Exporter

ABOUT US

We "SKULL MEDICAL PVT Ltd" supply Worldwide medical facilities, Personal , Hospitals and Clinical users with the highest quality medical products at affordable rates.

We provide patients, general practitioners, dentists, nursing homes and health care centres with medical supplies and equipment matching their unique requirements.

Skull Medical Pvt Ltd. was founded by sales professionals who have worked in the healthcare industry for several years.

Our founders and main personnel have over 7 years of experience selling medical supplies and equipment, so we understand the needs of our customers and the products we stock, sell and deliver.

Our aim is to tap into the competence and professionalism acquired over 7 years of experience in sales to deliver the best online medical supplies retail service in India and globally. It is our goal to meet our customer needs with the optimal solution for each individual request.

As healthcare industry sales professionals we care about our customer's concerns, we have partnered with some of the most prestigious companies in the medical field in order to provide our customers with the best medical supplies and equipment at the lowest possible prices.

Research and Development is on to manufacture equipment with own branding "SKULL"

PATIENT MONITOR

Contec CMS 8000

Contec CMS 5100

Komed 5 Para

ELECTROCARDIOGRAPHY

3 Channel

6 Channel

12 Channel

BIPAP & CPAP

Bipap Y-30T

Auto Cpap

Auto Cpap with Humidifier

Syringe Pump

Infusion Pump

Oxygen Concentrator

Fetal Monitor

Fetal Doppler

Defibrillator

Pulse Oximeter

BP Apparatus

Infrared & Digital Thermometer

Oxygen Regulator

Nebulizer

Oxygen Mask

Plasma Thawing Bath

Blood Bag Tube Sealer

Blood Collection Monitor

Blood Bank Refrigerator

Sequential Compression Device
VEIN-CARE 4 Port

Self Calibrating
Pneumatic Tourniquet
HRIM-PMV

Auto Clave

OT Light

Suction Apparatus

OT Table

Examination Lamp

Oxygen Cylinder

HOSPITAL FURNITURE

SURGICAL PRODUCTS

VENTILATOR
ADULT AND PEDIATRIC

Features

- 7" graphical display of lung mechanics with pressure and volume graphs per breaths.
- On the screen it continuously displays all set parameters like the peak inspiratory pressure cv set,
- actual pressure in the Airway, the plateau pressure and the peak end expiratory pressure (PEEP) set as well.
- Displays the tidal volume set, tidal volume delivered and minute volume.
- Displays the set breaths per minute, actual breaths taken by the patient, triggered by the machine and
- triggered by the patient as well.
- Displays the mode of operation, percentage of oxygen set, I : E ratio.
- Useful for both Invasive and non-invasive type ventilation.

The Eight operating Modes

- VOLUME CONTROL MODE: - It delivers the set amount of Tidal Volume at set BPM and till set peak airway pressure.
- PRESSURE CONTROL MODE: - It delivers tidal volume till set pressure is reached (with max Volume 600ml)
- ASSISTED MODE: - Also known as Synchronized Intermittent Mandatory Ventilation (SIMV), it works as Pressure controlled SIMV, It delivers set volume with set pressure limit at set BPM and I;E ratio, senses patients inhale and triggers breaths in sync.
- WEANING MODE: - Here it displays how many breaths were programmed, how many patient have triggered and
- how many machine have triggered, along with the supplied volume.
- CPAP MODE: - Supplies continuous pressure assist ventilation for both invasive or non-invasive with mask.
- BiPAP mode: - Here you can set both iPAP and ePAP pressures.
- Stand by mode: - One can program desired mode and parameters as standby mode.
- Apnea mode in CPAP: - One can program Apnea timer to start standby mode if patient exhausts.

It has all following programming features

- Volume per breath from 100 to 2000 ml in the steps of 50 ml.
- Max pressure 6 to 50 cm of H2O in the steps of 2 cm of H2O.
- Breaths per minute 5 to 40 in the steps of 1.
- I:E ratio 3:1 to 1:3
- PEEP (that is minimum pressure required while exhaling) 0 to 20 cm of H2O in the steps of 2 cm of H2O.
- Oxygen flow rate: - 5LPM, 10 or 15 LPM
- Percentage of oxygen. 21% to 100% in the steps of 10%.
- It displays the plateau pressure.
- It also has high pressure alarm for blockage detection.
- Low pressure alarm for leakage detection.
- Can run on UPS supplied with it with a battery back-up of 4 hours
- Can run on normal oxygen cylinder which can be attached with regular Oxygen tubing to machine.

India | Africa | Bujumbura | Nepal

Spreading Globally

+91 8088488222 , 9844214431

sales@skullmedical.com

www.skullmedical.com

No 11, 19th Cross Malagala,
Nagarbhavi 2nd stage, Bangalore - 560091

Scan this QR Code
to Save Contact